PRODUCT MANUAL

Cold room curtain



CATEGORY

Cold Room Doors & Hardware

MODEL

—

ISSUE DATE

2026-11-29

1. Product Overview

A strip curtain across a cold room doorway reduces the exchange of air every time the door is opened. On a busy preparation room or a loading bay the door may be open for minutes at a time, and the curtain is what keeps the cold air in place while a trolley passes through.

The strips are soft PVC, formulated to stay flexible at low temperature - the material is specified to remain non-rigid at -40 C, which is the point of the product. A standard PVC strip stiffens in a freezer, then cracks at the hanger within a season.

Strips are supplied in clear, amber and green. Clear is the usual choice where visibility through the doorway matters; amber and green are used to mark a doorway or to distinguish one area from another. The strips hang from a galvanised rail with individual hooks, so a damaged strip can be replaced on its own rather than as a set.

Selection is by doorway width and height, and by the temperature of the room: the colder the room, the more important the low-temperature formulation and the thicker the strip. Overlap between strips should be about 30 to 50 per cent, enough to seal without making the curtain hard to push through.

Installation: mount the rail above the doorway clear of the door swing, and hang the strips so they just clear the floor - a strip dragging on the floor wears through at the bottom edge and a strip hanging too high leaves a gap at the bottom where the cold air escapes.

2. Key Features

- Cold storage soft curtain resistant to extreme cold
- Keeps cold air in and reduces energy loss at doorways
- Strip curtains available in clear, amber and green

3. Technical Specifications

Item	Specification
Material	Soft PVC strip
Cold resistance	Remains non-rigid at -40 °C
Colours	Clear, amber, green
Mounting	Galvanised rail with hanging hooks

4. Commercial Terms

MINIMUM ORDER
Negotiable

LEAD TIME
Negotiable

SHIPPING PORT
Shanghai / Ningbo, China

PLACE OF ORIGIN
China

PAYMENT TERMS

T/T, L/C

SUPPLY ABILITY

Negotiable

Contact us for a free quotation

Our engineering team replies within 24 hours with selection advice and an FOB / CIF quotation.



E-MAIL	hope@quitecoolhvacr.com
PHONE / WHATSAPP	+86 15258555916
WEBSITE	www.quitecoolhvacr.com
ADDRESS	NO.231,Jiaozhen Village, Ganlin Town Shengzhou City,Zhejiang Province,China