



PRODUCT MANUAL

Flow switch STFS 15 STFS 20 STFS25



CATEGORY

Flow Switch

MODEL

—

ISSUE DATE

2026-10-13

1. Product Overview

The rate of the flow can be adjustable and it is stable

Liquid temperature range: 0! ~+100!

Max. Working Pressure: 10bar

Flow switch can not be used where the liquid in the pipes will drop below the liquid's freezing...

The rate of the flow can be adjustable and it is stable

Liquid temperature range: 0! ~+100!

Max. Working Pressure: 10bar

Flow switch can not be used where the liquid in the pipes will drop below the liquid's freezing point

4. Commercial Terms

MINIMUM ORDER

Negotiable

LEAD TIME

Negotiable

SHIPPING PORT

Shanghai / Ningbo, China

PLACE OF ORIGIN

China

PAYMENT TERMS

T/T, L/C

SUPPLY ABILITY

Negotiable

5. Product Gallery





Contact us for a free quotation

Our engineering team replies within 24 hours with selection advice and an FOB / CIF quotation.



E-MAIL hope@quitecool.cn

PHONE / WHATSAPP +86 15258555916

WEBSITE www.quitecoolhvacr.com

ADDRESS NO.231,Jiaozhen Village, Ganlin Town Shengzhou City,Zhejiang Province,China