



PRODUCT MANUAL

Pressure Control - KP Series



CATEGORY

Pressure Controller

MODEL

—

ISSUE DATE

2026-10-13

1. Product Overview

For use with fluorinated refrigerants as well as with a air and water

Allowable Fluid Temp.: -10c~+110°

Various contact functions available

With SPDT contact mechanism

Renovated micro-switch structu...

For use with fluorinated refrigerants as well as with a air and water

Allowable Fluid Temp.: -10c~+110°

Various contact functions available

With SPDT contact mechanism

Renovated micro-switch structure ensures the reliable switch function

1/4NPT, 1/4G or special connetion can be available and please inform us when placing order

4. Commercial Terms

MINIMUM ORDER

Negotiable

LEAD TIME

Negotiable

SHIPPING PORT

Shanghai / Ningbo, China

PLACE OF ORIGIN

China


PAYMENT TERMS

T/T, L/C

SUPPLY ABILITY

Negotiable

5. Product Gallery



Contact us for a free quotation

Our engineering team replies within 24 hours with selection advice and an FOB / CIF quotation.



E-MAIL hope@quitecool.cn

PHONE / WHATSAPP +86 15258555916

WEBSITE www.quitecoolhvacr.com

ADDRESS NO.231,Jiaozhen Village, Ganlin Town Shengzhou City,Zhejiang Province,China